

# Model: 10573

## 3/16" CARBON PROBE STYLE HANDPIECE



American Beauty offers the widest selection of resistance soldering handpieces in the world. Our handpieces are designed and built to provide absolute performance in even the toughest environments. By generating heat instantaneously and right at the point of contact, you are able to easily handle the historically difficult soldering jobs.

*A return lead is required for proper operation of a single probe handpiece.* The most frequent return lead used with this handpiece is our [10512](#).

### TECHNICAL SPECIFICATIONS

Connection Type	Tapered Pins
Electrode Size/Diameter	.1875 in / 0.48 cm
Available in a 220-240 VAC?	Yes, available upon request
Product Width	2.00 in / 5.08 cm
Product Height	2.00 in / 5.08 cm
Package Weight	.50 lbs / 0.23 kg
Country of Origin	US
Harmonization Code:	8515.11.0000
RoHS Compliant	Yes
IEC 60335-1, Edition 5.1, 2013-12	Yes
WEEE Compliant	Yes
CE Certified	Yes
Warranty Policy	Details
User Manual	User Manual
Product Lgth	9.50

### FEATURES AND BENEFITS

**Copper-coated carbon electrodes** can be easily notched/shaped, allowing the user to customize the handpiece to their specific application.

### REPLACEMENT PARTS

The following products can be used as replacements for Model 10573 featured on this page:

Model	Product Name
10525	3/16" Carbon Electrodes for Resistance Soldering

## ACCESSORIES

The following products can be used as Accessories for Model 10573 featured on this page:

<b>Model</b>	<b>Product Name</b>
10512	Return Lead w. Standard Clamp
10512A	Return Lead w. Alligator Clip

## END-OF-LIFE INSTRUCTIONS

In an effort to reduce waste and comply with WEEE directive, please do not dispose of product. All American Beauty Tools are serviceable and can be repaired and/or replaced. Please contact manufacturer to make arrangements.

## SIMILAR PRODUCTS

The following products are related (similar model but different specifications, etc.) to Model 10573 featured on this page:

<b>Model</b>	<b>Product Name</b>
105L9	Light Capacity Probe-Style Resistance Soldering System