

Assembly Technologies International  
(DBA American Beauty Tools)

Safety Data Sheet  
29 CFR 1910.1200



### Section 1: Company and Product Identification

**Product Name:** Flux Pen


**Model Number:** CS-FX1

**Company:** American Beauty Tools  
1937 Barrett Dr.  
Troy, MI 48084  
PH: 1-800-550-2510, 1-248-280-2810

**Emergency Response:** CHEMTREC 24 Hour Emergency Telephone Numbers:  
1-(800)-424-9300  
+1-703-527-3887

### Section 2: Hazards Identification

**Hazard Pictograms:**



**Signal Word:** Danger

**Hazard Category:** Flammable Liq Cat 2  
Serious eye damage/eye irritation Cat 2A  
Specific target organ tox, (single exp.) (Narcotic effects) Cat 3

**Hazard Statements:** Highly flammable liquid and vapor.  
Causes serious eye irritation.  
May cause drowsiness and dizziness.

**Precautionary Statements:** Wear protective gloves. Wear eye or face protection.  
Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.  
Use explosion- proof electrical, ventilating, lighting and all material-handling equipment.  
Use only non- sparking tools. Take precautionary measures against static discharge.  
Keep container tightly closed. Use only outdoors or in a well-ventilated area. Avoid breathing vapor.  
Wash hands thoroughly after handling.

**Hazards not otherwise classified:** None known

### Section 3: Composition / Information on Ingredients

Substance/mixture: Mixture  
Other means of identification: Fluxing agents

Hazardous substance (name)	Hazard Category	CAS#	Weight %
Isopropyl alcohol		67-63-0	95 - 100
Adipic acid	Flam Liq Cat 3, Acute Tox 4 (derm), Skin Irrit Cat 2, Acute	124-04-9	1 - 5

Any concentration shown as a range is to protect confidentiality or is due to batch variation.  
There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.  
Occupational exposure limits, if available, are listed in Section 8.

## Section 4: First Aid Measures

---

**General Info:** Eye contact : Causes serious eye irritation.  
 Inhalation : Can cause central nervous system (CNS) depression. May cause drowsiness and dizziness.  
 Skin contact : May cause skin irritation.  
 Ingestion: Can cause central nervous system (CNS) depression. Irritating to mouth, throat and stomach

**Notable Exposure** **Eye contact :** Adverse symptoms may include the following: pain or irritation, watering, redness.  
**symptoms: Inhalation:** Adverse symptoms may include the following: nausea or vomiting, headache, drowsiness/fatigue, dizziness/vertigo, unconsciousness.  
**Skin contact:** Adverse symptoms may include the following: irritation, redness.  
**Ingestion:** Adverse symptoms may include the following: nausea or vomiting, stomach pains.

**If ingested:** Wash out mouth with water. Remove dentures if any. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention. If necessary, call a poison center or physician. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.

**If inhaled:** Remove victim to fresh air and keep at rest in a position comfortable for breathing. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation.  
 Get medical attention. If necessary, call a poison center or physician. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.

**Eye contact:** Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Get medical attention.

**Skin contact:** Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur. Wash clothing before reuse. Clean shoes thoroughly before reuse.

**Additional Info:** Notes to physician: Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.

Specific treatments: No specific treatment.

Protection of First-aiders: No action shall be taken involving any personal risk or without suitable training. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation

## Section 5: Fire Fighting Measures

---

**General Info:** Highly flammable liquid and vapor. In a fire or if heated, a pressure increase will occur and the container may burst, with the risk of a subsequent explosion. The vapor/gas is heavier than air and will spread along the ground. Vapors may accumulate in low or confined areas or travel a considerable distance to a source of ignition and flash back. Runoff to sewer may create fire or explosion hazard.

**Extinguishing Method** Use dry chemical, CO<sub>2</sub>, water spray (fog) or foam.  
**/ Equipment:** Do not use water jet.

**Hazardous Decomposition Info:** Decomposition products may include the following materials: carbon dioxide; carbon monoxide

**Special protective actions for fire-fighters** Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. Move containers from fire area if this can be done without risk. Use water spray to keep fire-exposed containers cool.

**Special protective equipment for fire-fighters** Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

## Section 6: Accidental Release Measures

---

**Personal precautions, Non-emergency personnel:** No action shall be taken involving any personal risk or without suitable training.

**and procedures:** Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Shut off all ignition sources. No flares, smoking or flames in hazard area. Avoid breathing vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.

**Emergency responders:** If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".

**Environmental precautions:** Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

**Containment** Large Spills: Stop leak if without risk. Move containers from spill area. Use spark-proof tools and explosion-proof equipment. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows.  
**Equipment and Procedures:** Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see Section 13). Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilled product. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

Small Spills: Stop leak if without risk. Move containers from spill area. Use spark-proof tools and explosion-proof equipment. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.

## Section 7: Handling and Storage

---

**Safe Handling** Put on appropriate personal protective equipment (see Section 8). Do not ingest. Avoid contact with eyes, skin and clothing. Avoid breathing vapor or mist. Use only with adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Do not enter storage areas and confined spaces unless adequately ventilated. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Store and use away from heat, sparks, open flame or any other ignition source. Use explosion-proof electrical (ventilating, lighting and material handling) equipment. Use only non-sparking tools. Take precautionary measures against electrostatic discharges. Empty containers retain product residue and can be hazardous. Do not reuse container.

**Recommendations for Storage, including any incompatibilities:** Store in accordance with local regulations. Store in a segregated and approved area. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Store locked up. Eliminate all ignition sources. Separate from oxidizing materials. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination

**Advice on general occupational hygiene:** Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

## Section 8: Exposure Control / Personal Protection

---

- General / Engineering** Use only with adequate ventilation. Use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits. The engineering controls also need to keep gas, vapor or dust concentrations below any lower explosive limits. Use explosion-proof ventilation equipment.
- Environmental exposure controls:** Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.
- Eye/face protection:** Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: chemical splash goggles
- Skin Protection:** **Hand protection:** Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated.
- Body protection:** Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. When there is a risk of ignition from static electricity, wear anti-static protective clothing. For the greatest protection from static discharges, clothing should include anti-static overalls, boots and gloves.
- Other skin protection:** Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
- Respiratory Protection:** Use a properly fitted, air-purifying or air-fed respirator complying with an approved standard if a risk assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.
- Additional Information:** Observe good chemical hygiene practices. Do not smoke or eat while using this product. Wash hands or exposed skin after using the product.

(add or delete rows as necessary)

Substances with Exposure Limits	CAS#	ACGIH-TLV	OSHA-PEL
Isopropyl alcohol	67-63-0	STEL: 400 ppm 15 minutes. TWA: 200 ppm 8 hours.	TWA: 980 mg/m <sup>3</sup> 8 hours. TWA: 400 ppm 8 hours
Adipic acid	124-04-9	TWA: 5 mg/m <sup>3</sup> 8 hours.	

## Section 9: Physical and Chemical Properties

<b>State:</b> Liquid	<b>Melting Point:</b> Not avail	<b>Freezing Point:</b> Not avail
<b>Color:</b> Clear. Colorless	<b>Boiling Point/Range:</b> 80°C (176°F)	<b>pH:</b> Not applicable
<b>Sp Grav:</b>	<b>Odor:</b> Alcohol-like.	<b>Water Solubility:</b> Partly soluble
<b>Evaporation rate:</b> Not avail	<b>Flash Point:</b> Closed cup: 11.6°C (52.9°F) [Tagliabue.]	<b>Part. Coeff (n-octanol/water):</b> Not avail

<b>Upper Flam Limits:</b> 12%	<b>Lower Flam Limits:</b> 2%	<b>Vapor Pressure:</b> Not avail
<b>VOC Content (lbs/gal):</b>	<b>Viscosity:</b> Not avail	<b>Autoignition Temp:</b> Not avail

### Section 10: Stability and Reactivity

---

**General:** The product is stable.

**Reactivity:** No specific test data related to reactivity available for this product or its ingredients.

**Incompatible materials:** Reactive or incompatible with the following materials: oxidizing materials

**Decomposition products:** Under normal conditions of storage and use, hazardous decomposition products should not be produced.

**Possibility of hazardous reactions:** Under normal conditions of storage and use, hazardous reactions will not occur.

**Conditions to avoid:** Avoid all possible sources of ignition (spark or flame). Do not pressurize, cut, weld, braze, solder, drill, grind or expose containers to heat or sources of ignition. Do not allow vapor to accumulate in low or confined areas.

### Section 11: Toxicological Information

---

**General Information:** Isopropyl alcohol IARC classification: 3

**Toxicological Information (product):** Eye contact : Adverse symptoms may include the following: pain or irritation, watering, redness

Inhalation: Adverse symptoms may include the following: nausea or vomiting, headache, drowsiness/fatigue, dizziness/vertigo, unconsciousness.

Skin contact: Adverse symptoms may include the following: irritation, redness.

Ingestion: Adverse symptoms may include the following: nausea or vomiting, stomach pains.

**Likely Routes of Exposure:** Not available

**Skin contact:** May cause skin irritation

**Ingestion:** Can cause central nervous system (CNS) depression. Irritating to mouth, throat and stomach.

#### Toxicological Information (contained substances)

Hazardous substance (name)	LD50 Oral	LD50 Dermal	LC50 Inh	Irritancy:
Isopropyl alcohol	5000 mg/kg (rat)	12800 mg/kg (rabbit)		24 hours 100 milligrams 10 milligrams 100 milligrams 500 milligrams
Adipic acid	5050 mg/kg (rat)	>7940 mg/kg (rabbit)		10 milligrams 24 hours 20 milligrams 0.25 Grams

**Carcinogenicity or mutagenicity:** No known significant effects or critical hazards.

**Developmental effects/fertility effects:** No known significant effects or critical hazards.

Name: Isopropyl alcohol  
 Category: 3  
**Specific target organ toxicity (single exposure):** Route of exposure: Not applicable  
 Target organs: Narcotic effects  
**Potential acute health effects:** Eye contact : Causes serious eye irritation.  
 Inhalation : Can cause central nervous system (CNS) depression. May cause drowsiness and dizziness.  
 Skin Contact: May cause skin irritation.  
 Ingestion: Can cause central nervous system (CNS) depression. Irritating to mouth, throat and stomach.  
 Route: Oral ATE Value: 5153.8 mg/kg

**Delayed and immediate effects and also chronic effects from short and long term exposure )** Short term exposure  
 Potential immediate effects: Not available.  
 Potential delayed effects : Not available  
 Long term exposure  
 Potential immediate effects: Not available.  
 Potential delayed effects : Not available.  
 Potential chronic health effects  
 Not available.

**Section 12: Ecological Information**

Toxicity:	Product/ingredient name	Result	Species	Exposure
	Isopropyl alcohol	Acute LC50 1400000 to 1950000 µg/l Marine water Acute LC50 1400000 µg/l	Crustaceans - Crangon crangon	48 hours
			Fish - Gambusia affinis	96 hours
	Adipic acid	Acute LC50 97000 µg/l Fresh water	Fish - Pimephales promelas - Juvenile (Fledgling, Hatchling, Weanling)	96 hours

**Degradation / Mobility info:** Not Avail

Bioaccumulative potential:	Product/Ingredient name	logP	BCF	Potential
	Isopropyl alcohol	0.05	-	low
	Adipic acid	0.093	3.162	low

**Other adverse effects:** No known significant effects or critical hazards.

---

**Section 13: Disposal Information**


---

**Product disposal:** The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way.

**Container disposal:** Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues.  
Vapor from product residues may create a highly flammable or explosive atmosphere inside the container. Do not cut, weld or grind used containers unless they have been cleaned thoroughly internally. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

**Other considerations:** No further information.

---

**Section 14: Transport Information**


---

**DOT:** Consumer commodity ORM-D

**IMO/IMDG:** UN1263, Paint, Hazard class 3, Packing group II

**IATA:** ID800, Consumer Commodity ID800, Hazard class 9

**TDG:** Consumer commodity ORM-D

**Comments:** Special provisions 640 (c)  
Tunnel code (D/E)

**Special precautions for user:** Transport within user's premises: always transport in closed containers that are upright and secure.  
Ensure that persons transporting the product know what to do in the event of an accident or spillage.

---

**Section 15: Regulatory Information**


---

**TSCA:** 8(a) CDR Exempt/Partial exemption: Not determined. All components are listed or exempted.

**Clean Air Act Section 112** Not listed

**(b) Hazardous Air Pollutants (HAPs)**

:

**Clean Air Act Section 602 Class I Substances:** Not listed

**Clean Air Act Section 602 Class II Substances** Not listed

**DEA List I Chemicals (Precursor Chemicals):** Not listed

**DEA List II Chemicals (Essential Chemicals):** Not listed

**SARA 302/304:** No products were found.

**SARA 304 RQ** Not applicable.

**SARA 311/312** Fire hazard

**classification** Immediate (acute) health hazard

Composition/information on ingredients:

Name	%	Fire Hazard	Sudden Release of pressure	Reactive	Immediate (acute) health hazard	Delayed (chronic) health hazard
Isopropyl alcohol	95 - 100	Yes.	No.	No.	Yes.	No.
Adipic acid	1 - 5	No.	No.	No.	Yes.	No.

**SARA 313**

	Product Name	CAS number	%
Form R - Reporting requirements	Isopropyl alcohol	67-63-0	95 - 100
Supplier notification	Isopropyl alcohol	67-63-0	95 - 100

SARA 313 notifications must not be detached from the SDS and any copying and redistribution of the SDS shall include copying and redistribution of the notice attached to copies of the SDS subsequently redistributed.

**California Prop 65 Substances:** PROPOSITION 65 WARNING: American Beauty tools & accessories are lead-free & RoHS Compliant. However, use of this product with lead-bearing solders (or any other chemicals found on the current Proposition 65 List) could expose the user to chemicals known to the State of California to cause cancer and/or birth defects or other reproductive harm.

**State regulations:**

Massachusetts : The following components are listed: ISOPROPYL ALCOHOL; ADIPIC ACID

New York : The following components are listed: Adipic acid

New Jersey : The following components are listed: ISOPROPYL ALCOHOL; 2-PROPANOL; ADIPIC ACID; HEXANEDIOIC ACID

Pennsylvania : The following components are listed: 2-PROPANOL; HEXANEDIOIC ACID

**International Regulations:**

Chemical Weapon

Convention List

Schedules I, II & III Chemicals Not listed.

Montreal Protocol (Annexes A, B, C, E) Not listed.

Stockholm Convention on Persistent Organic Pollutants Not listed.

Rotterdam Convention on Prior Inform Consent (PIC) Not listed.

UNECE Aarhus Protocol on POPs and Heavy Metals Not listed.



**International lists**  
**National Inventory:**

- Australia : All components are listed or exempted.
- Canada : All components are listed or exempted.
- China : All components are listed or exempted.
- Europe : All components are listed or exempted.
- Japan : All components are listed or exempted.
- Malaysia : All components are listed or exempted.
- New Zealand : All components are listed or exempted.
- Philippines : All components are listed or exempted.
- Republic of Korea : All components are listed or exempted.
- Taiwan : All components are listed or exempted.

**Section 16: Other Information**

---

The customer is responsible for determining the PPE code for this material.

**SDS Author:** ASSEMBLY TECHNOLOGIES INTERNATIONAL      **Version Date:** 6/14/16

*The information and recommendations contained within this publication have been compiled from sources believed to be reliable and to represent the best information available to ASSEMBLY TECHNOLOGIES INTERNATIONAL at the time of issue. No warranty, guarantee, or representation is made by ASSEMBLY TECHNOLOGIES INTERNATIONAL nor does ASSEMBLY TECHNOLOGIES INTERNATIONAL assume any responsibility in connection there within; nor can it be assumed that all acceptable safety measures or other safety measures may not be required under particular or exceptional conditions or circumstances.*

---

NE = Not Established      NA = Not Applicable